

Supplementary Table 4. Spirometry results stratified by group.

	CCB20 (n=29)	CCB40 (n=30)	P value
Pre-block			
FVC (L)	2.9 (2.3, 3.6)	3.0 (2.5, 3.8)	0.444
FEV1 (L)	2.5 (1.9, 2.9)	2.5 (2.1, 2.8)	0.509
PEFR (L/s)	6.0 (4.7, 7.6)	6.8 (5.8, 9.0)	0.129
Post-block			
FVC (L)	2.4 (1.9, 3.3)	2.5 (2.2, 3.0)	0.699
FEV1 (L)	1.8 (1.6, 2.4)	2.1 (1.8, 2.4)	0.371
PEFR (L/s)	3.8 (2.8, 5.0)	4.4 (3.5, 5.7)	0.165
Change (Pre – Post values)*			
FVC (L)	0.5 (0.1, 0.7)	0.4 (0.2, 0.9)	0.519
FEV1 (L)	0.4 (0.1, 0.8)	0.4 (0.2, 0.8)	0.677
PEFR (L/s)	2.3 (1.0, 2.9)	2.6 (1.4, 3.3)	0.456

Values are presented as median (1Q, 3Q). CCB20, costoclavicular block (CCB) with 20 mL of 0.75% ropivacaine; CCB40, CCB with 40 mL of 0.375% ropivacaine; FVC, forced vital capacity; FEV1, forced expiratory volume in 1 s; PEFR, peak expiratory flow rate. * A positive value indicates a decrease during the interval.